

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

- 1.1 Product identifier:** ESENCIA 11673
ART.COMERCIAL MUSK CND
- Other means of identification:**
- UFI:** URXC-D0PX-G00H-40FK
- 1.2 Relevant identified uses of the substance or mixture and uses advised against:**
- Relevant uses (Professional users): Fragrance
Relevant uses (Industrial user): Fragrance
For Professional users/Industrial user only.
Uses advised against: All uses not specified in this section or in section 7.3
- 1.3 Details of the supplier of the safety data sheet:**
PROREUSE SRLS
VIA TORINO 30, VALLO TORINESE (TO) 10070
Phone: +39 371 199 8531
www.eshop-candelx.it
- 1.4 Emergency telephone number:** +39 371 199 8531

SECTION 2: HAZARDS IDENTIFICATION **

2.1 Classification of the substance or mixture:

CLP Regulation (EC) No 1272/2008:

Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.

Aquatic Chronic 3: Hazardous to the aquatic environment, long-term hazard, Category 3, H412

Eye Dam. 1: Serious eye damage, Category 1, H318

Skin Sens. 1A: Sensitisation, skin, Category 1A, H317

2.2 Label elements:

CLP Regulation (EC) No 1272/2008:

Danger



Hazard statements:

Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.

Eye Dam. 1: H318 - Causes serious eye damage.

Skin Sens. 1A: H317 - May cause an allergic skin reaction.

Precautionary statements:

P101: If medical advice is needed, have product container or label at hand.

P102: Keep out of reach of children.

P261: Avoid breathing vapours

P280: Wear protective gloves/protective clothing/eye protection/protective footwear.

P302+P352: IF ON SKIN: Wash with plenty of water.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310: Immediately call a poison center/doctor.

P501: Dispose of contents/container according to the separated collection system used in your municipality.

Supplementary information:

Contains Coumarin, Linalool, Hydroxy-citronellal, Citronellol, Linalyl acetate, 3,7-dimethyloctan-3-ol, Dihydroterpinyl acetate, Nopyl acetate, 3-p-cumenyl-2-methylpropionaldehyde, Gum benzoin, siam, Undec-10-enal, benzyl alcohol, Dodecanal.

Substances that contribute to the classification

Geraniol; Isoeugenol

UFI: URXC-D0PX-G00H-40FK

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 2: HAZARDS IDENTIFICATION ** (continued)

2.3 Other hazards:

Product does not meet PBT/vPvB criteria
Endocrine-disrupting properties: The product does not meet the criteria.

** Changes with regards to the previous version

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

3.1 Substance:

Not relevant

3.2 Mixture:

Chemical description: Odoriferous mixture based on natural and/or synthetic ingredients

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

Identification	Chemical name/Classification	Concentration
CAS: 127-51-5 EC: 204-846-3 Index: Not relevant REACH: 01-2120138569-45-XXXX	3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 2: H411	Self-classified 5 - <15 %
CAS: 91-64-5 EC: 202-086-7 Index: Not relevant REACH: 01-2119949300-45-XXXX	Coumarin⁽¹⁾ Regulation 1272/2008 Acute Tox. 4: H302; Aquatic Chronic 3: H412; Skin Sens. 1: H317 - Warning	Self-classified 5 - <15 %
CAS: 60-12-8 EC: 200-456-2 Index: Not relevant REACH: 01-2119963921-31-XXXX	2-phenylethanol⁽¹⁾ Regulation 1272/2008 Acute Tox. 4: H302; Eye Irrit. 2: H319 - Warning	Self-classified 2,5 - <5 %
CAS: 78-70-6 EC: 201-134-4 Index: 603-235-00-2 REACH: 01-2119474016-42-XXXX	Linalool⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified 2,5 - <5 %
CAS: 106-24-1 EC: 203-377-1 Index: 603-241-00-5 REACH: 01-2119552430-49-XXXX	Geraniol⁽¹⁾ Regulation 1272/2008 Eye Dam. 1: H318; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Danger	Self-classified 2,5 - <5 %
CAS: 140-11-4 EC: 205-399-7 Index: Not relevant REACH: 01-2119638272-42-XXXX	Benzyl acetate⁽¹⁾ Regulation 1272/2008 Aquatic Chronic 3: H412	Self-classified 1 - <2,5 %
CAS: 107-75-5 EC: 203-518-7 Index: Not relevant REACH: 01-2119973482-31-XXXX	Hydroxy-citronellal⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	Self-classified 1 - <2,5 %
CAS: 106-22-9 EC: 203-375-0 Index: Not relevant REACH: 01-2119453995-23-XXXX	Citronellol⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified 1 - <2,5 %
CAS: 115-95-7 EC: 204-116-4 Index: Not relevant REACH: 01-2119454789-19-XXXX	Linalyl acetate⁽¹⁾ Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	Self-classified 1 - <2,5 %
CAS: 1222-05-5 EC: 214-946-9 Index: 603-212-00-7 REACH: 01-2119488227-29-XXXX	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran⁽¹⁾ Regulation 1272/2008 Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	ATP ATP01 1 - <2,5 %

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

Identification	Chemical name/Classification	Concentration
CAS: 97-54-1 EC: 202-590-7 Index: 604-094-00-X REACH: Not relevant	Isoeugenol⁽¹⁾ ATP ATP13	1 - <2,5 %
	Regulation 1272/2008 Skin Sens. 1A: H317 - Warning	
CAS: 78-69-3 EC: 201-133-9 Index: Not relevant REACH: 01-2119454788-21-XXXX	3,7-dimethyloctan-3-ol⁽¹⁾ Self-classified	<1 %
	Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	
CAS: 58985-18-5 EC: 261-543-9 Index: Not relevant REACH: Not relevant	Dihydroterpinyl acetate⁽¹⁾ Self-classified	<1 %
	Regulation 1272/2008 Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	
CAS: 128-51-8 EC: 204-891-9 Index: Not relevant REACH: Not relevant	Nopyl acetate⁽¹⁾ Self-classified	<1 %
	Regulation 1272/2008 Aquatic Chronic 2: H411; Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	
CAS: 103-95-7 EC: 203-161-7 Index: Not relevant REACH: 01-2119970582-32-XXXX	3-p-cumenyl-2-methylpropionaldehyde⁽¹⁾ Self-classified	<1 %
	Regulation 1272/2008 Aquatic Chronic 3: H412; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	
CAS: 9000-72-0 EC: 281-683-4 Index: Not relevant REACH: Not relevant	Gum benzoin, siam⁽¹⁾ Self-classified	<1 %
	Regulation 1272/2008 Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	
CAS: 100-51-6 EC: 202-859-9 Index: 603-057-00-5 REACH: 01-211992630-38-XXXX	benzyl alcohol⁽¹⁾ ATP ATP21	<1 %
	Regulation 1272/2008 Acute Tox. 4: H302; Eye Irrit. 2: H319; Skin Sens. 1B: H317 - Warning	
CAS: 112-45-8 EC: 203-973-1 Index: Not relevant REACH: 01-2119980959-11-XXXX	Undec-10-enal⁽¹⁾ Self-classified	<1 %
	Regulation 1272/2008 Aquatic Chronic 3: H412; Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1: H317 - Warning	
CAS: 112-54-9 EC: 203-983-6 Index: Not relevant REACH: 01-2119969441-33-XXXX	Dodecanal⁽¹⁾ Self-classified	<1 %
	Regulation 1272/2008 Eye Irrit. 2: H319; Skin Irrit. 2: H315; Skin Sens. 1B: H317 - Warning	
CAS: 93-58-3 EC: 202-259-7 Index: Not relevant REACH: 01-2119969268-21-XXXX	Methyl benzoate⁽¹⁾ Self-classified	<1 %
	Regulation 1272/2008 Acute Tox. 4: H302; Repr. 2: H361d - Warning	

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit
Isoeugenol CAS: 97-54-1 EC: 202-590-7	% (w/w) >=0,01; Skin Sens. 1A - H317

Acute toxicity estimate for the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 or as determined in accordance with Annex I to that Regulation:

Identification	Acute toxicity	Genus
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	LD50 oral	1610 mg/kg
	LD50 dermal	Not relevant
	LC50 inhalation vapour	Not relevant
Coumarin CAS: 91-64-5 EC: 202-086-7	LD50 oral	500 mg/kg
	LD50 dermal	Not relevant
	LC50 inhalation vapour	Not relevant

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

Identification	Acute toxicity	Genus
benzyl alcohol CAS: 100-51-6 EC: 202-859-9	LD50 oral	1200 mg/kg
	LD50 dermal	Not relevant
	LC50 inhalation vapour	Not relevant

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

This product does not contain substances classified as hazardous for inhalation, however, in case of symptoms of intoxication remove the person affected from the exposure area and provide with fresh air. Seek medical attention if the symptoms get worse or persist.

By skin contact:

May cause an allergic skin reaction. In case of contact it is recommended to clean the affected area thoroughly with water and neutral soap. In case of changes on the skin (stinging, redness, rashes, blisters), seek medical advice with this Safety Data Sheet

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Not relevant

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, handling and use. In the case of combustion as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

Non-applicable

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and Self Contained Breathing Apparatus. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...)

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

- CONTINUED ON NEXT PAGE -

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures:****For non-emergency personnel:**

Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.

For emergency responders:

Wear protective equipment. Keep unprotected persons away. See section 8.

6.2 Environmental precautions:

Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Prevent the entrance of product in drains, sewers or watercourses. Absorb the spill using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. Collect the product in appropriate containers and manage it according to current legislation.

Spillages in water or sea:

Small spillages:

Contain spillage using barriers or similar equipment. Use suitable absorbents for collection and treat the waste in accordance with current regulations.

Large spillages:

If possible, contain spillage in open water using barriers or similar equipment. If this is not possible, try to control its spread and collect the product with suitable mechanical means. Always consult experts before using dispersants and make sure you have the necessary approvals if they are to be used. Treat the waste according to current regulations.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE**7.1 Precautions for safe handling:**

A.- General precautions for safe use

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and dispose of using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.

C.- Technical recommendations on general occupational hygiene

Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.

D.- Technical recommendations to prevent environmental risks

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

7.2 Conditions for safe storage, including any incompatibilities:

A.- Specific storage requirements

Minimum Temp.: 5 °C

Maximum Temp.: 30 °C

Maximum time: 12 Months

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	0,375 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	8,22 mg/m ³	Not relevant
Coumarin CAS: 91-64-5 EC: 202-086-7	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	0,79 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	6,78 mg/m ³	Not relevant
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	21,2 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	59,9 mg/m ³	Not relevant
Linalool CAS: 78-70-6 EC: 201-134-4	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	3,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	24,58 mg/m ³	Not relevant
Geraniol CAS: 106-24-1 EC: 203-377-1	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	12,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	161,6 mg/m ³	Not relevant
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	2,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	9 mg/m ³	Not relevant
Hydroxy-citronellal CAS: 107-75-5 EC: 203-518-7	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	1,9 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	18 mg/m ³	Not relevant
Citronellol CAS: 106-22-9 EC: 203-375-0	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	327,4 mg/kg	Not relevant
	Inhalation	Not relevant	10 mg/m ³	161,6 mg/m ³	10 mg/m ³
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	2,5 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	2,75 mg/m ³	Not relevant
1,3,4,6,7,8-hexahydro-4,6,6,7,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	36,7 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	13,5 mg/m ³	Not relevant
3,7-dimethyloctan-3-ol CAS: 78-69-3 EC: 201-133-9	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	3,16 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	11,14 mg/m ³	Not relevant
3-p-cumenyl-2-methylpropionaldehyde CAS: 103-95-7 EC: 203-161-7	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	1,67 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	5,83 mg/m ³	Not relevant
benzyl alcohol CAS: 100-51-6 EC: 202-859-9	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	40 mg/kg	Not relevant	8 mg/kg	Not relevant
	Inhalation	110 mg/m ³	Not relevant	22 mg/m ³	Not relevant
Undec-10-enal CAS: 112-45-8 EC: 203-973-1	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	4,67 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	16,4 mg/m ³	Not relevant
Dodecanal CAS: 112-54-9 EC: 203-983-6	Oral	Not relevant	Not relevant	Not relevant	Not relevant
	Dermal	Not relevant	Not relevant	14,1 mg/kg	Not relevant
	Inhalation	Not relevant	Not relevant	49,7 mg/m ³	Not relevant

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Methyl benzoate	Oral	Not relevant	Not relevant	Not relevant	Not relevant
CAS: 93-58-3	Dermal	Not relevant	Not relevant	11 mg/kg	Not relevant
EC: 202-259-7	Inhalation	Not relevant	Not relevant	39,3 mg/m ³	Not relevant

DNEL (General population):

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	Oral	Not relevant	Not relevant	0,0355 mg/kg	Not relevant
CAS: 127-51-5	Dermal	Not relevant	Not relevant	0,0446 mg/kg	Not relevant
EC: 204-846-3	Inhalation	Not relevant	Not relevant	1,45 mg/m ³	Not relevant
Coumarin	Oral	Not relevant	Not relevant	0,39 mg/kg	Not relevant
CAS: 91-64-5	Dermal	Not relevant	Not relevant	0,39 mg/kg	Not relevant
EC: 202-086-7	Inhalation	Not relevant	Not relevant	1,69 mg/m ³	Not relevant
2-phenylethanol	Oral	5,1 mg/kg	Not relevant	5,1 mg/kg	Not relevant
CAS: 60-12-8	Dermal	Not relevant	Not relevant	12,7 mg/kg	Not relevant
EC: 200-456-2	Inhalation	Not relevant	Not relevant	17,7 mg/m ³	Not relevant
Linalool	Oral	Not relevant	Not relevant	2,49 mg/kg	Not relevant
CAS: 78-70-6	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant
EC: 201-134-4	Inhalation	Not relevant	Not relevant	4,33 mg/m ³	Not relevant
Geraniol	Oral	Not relevant	Not relevant	13,75 mg/kg	Not relevant
CAS: 106-24-1	Dermal	Not relevant	Not relevant	7,5 mg/kg	Not relevant
EC: 203-377-1	Inhalation	Not relevant	Not relevant	47,8 mg/m ³	Not relevant
Benzyl acetate	Oral	Not relevant	Not relevant	1,3 mg/kg	Not relevant
CAS: 140-11-4	Dermal	Not relevant	Not relevant	1,3 mg/kg	Not relevant
EC: 205-399-7	Inhalation	Not relevant	Not relevant	2,2 mg/m ³	Not relevant
Hydroxy-citronellal	Oral	Not relevant	Not relevant	0,6 mg/kg	Not relevant
CAS: 107-75-5	Dermal	Not relevant	Not relevant	1,1 mg/kg	Not relevant
EC: 203-518-7	Inhalation	Not relevant	Not relevant	5,4 mg/m ³	Not relevant
Citronellol	Oral	Not relevant	Not relevant	13,8 mg/kg	Not relevant
CAS: 106-22-9	Dermal	Not relevant	Not relevant	196,4 mg/kg	Not relevant
EC: 203-375-0	Inhalation	Not relevant	10 mg/m ³	47,8 mg/m ³	10 mg/m ³
Linalyl acetate	Oral	Not relevant	Not relevant	0,2 mg/kg	Not relevant
CAS: 115-95-7	Dermal	Not relevant	Not relevant	1,25 mg/kg	Not relevant
EC: 204-116-4	Inhalation	Not relevant	Not relevant	0,68 mg/m ³	Not relevant
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	Oral	Not relevant	Not relevant	2,3 mg/kg	Not relevant
CAS: 1222-05-5	Dermal	Not relevant	Not relevant	22 mg/kg	Not relevant
EC: 214-946-9	Inhalation	Not relevant	Not relevant	4 mg/m ³	Not relevant
3,7-dimethyloctan-3-ol	Oral	Not relevant	Not relevant	1,58 mg/kg	Not relevant
CAS: 78-69-3	Dermal	Not relevant	Not relevant	1,58 mg/kg	Not relevant
EC: 201-133-9	Inhalation	Not relevant	Not relevant	2,75 mg/m ³	Not relevant
3-p-cumenyl-2-methylpropionaldehyde	Oral	Not relevant	Not relevant	0,83 mg/kg	Not relevant
CAS: 103-95-7	Dermal	Not relevant	Not relevant	0,83 mg/kg	Not relevant
EC: 203-161-7	Inhalation	Not relevant	Not relevant	1,45 mg/m ³	Not relevant
benzyl alcohol	Oral	20 mg/kg	Not relevant	4 mg/kg	Not relevant
CAS: 100-51-6	Dermal	20 mg/kg	Not relevant	4 mg/kg	Not relevant
EC: 202-859-9	Inhalation	27 mg/m ³	Not relevant	5,4 mg/m ³	Not relevant
Undec-10-enal	Oral	Not relevant	Not relevant	1,67 mg/kg	Not relevant
CAS: 112-45-8	Dermal	Not relevant	Not relevant	1,67 mg/kg	Not relevant
EC: 203-973-1	Inhalation	Not relevant	Not relevant	2,47 mg/m ³	Not relevant

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification		Short exposure		Long exposure	
		Systemic	Local	Systemic	Local
Dodecanal	Oral	Not relevant	Not relevant	7 mg/kg	Not relevant
CAS: 112-54-9	Dermal	Not relevant	Not relevant	7 mg/kg	Not relevant
EC: 203-983-6	Inhalation	Not relevant	Not relevant	12,3 mg/m ³	Not relevant
Methyl benzoate	Oral	Not relevant	Not relevant	5,57 mg/kg	Not relevant
CAS: 93-58-3	Dermal	Not relevant	Not relevant	5,57 mg/kg	Not relevant
EC: 202-259-7	Inhalation	Not relevant	Not relevant	9,68 mg/m ³	Not relevant

PNEC:

Identification				
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	STP	10 mg/L	Fresh water	0,00143 mg/L
CAS: 127-51-5	Soil	0,0878 mg/kg	Marine water	0,000143 mg/L
EC: 204-846-3	Intermittent	0,0143 mg/L	Sediment (Fresh water)	0,443 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,0443 mg/kg
Coumarin	STP	6,4 mg/L	Fresh water	0,019 mg/L
CAS: 91-64-5	Soil	0,018 mg/kg	Marine water	0,0019 mg/L
EC: 202-086-7	Intermittent	0,0142 mg/L	Sediment (Fresh water)	0,15 mg/kg
	Oral	0,0307 g/kg	Sediment (Marine water)	0,015 mg/kg
2-phenylethanol	STP	10 mg/L	Fresh water	0,215 mg/L
CAS: 60-12-8	Soil	0,164 mg/kg	Marine water	0,021 mg/L
EC: 200-456-2	Intermittent	2,15 mg/L	Sediment (Fresh water)	1,454 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,145 mg/kg
Linalool	STP	10 mg/L	Fresh water	0,2 mg/L
CAS: 78-70-6	Soil	0,327 mg/kg	Marine water	0,02 mg/L
EC: 201-134-4	Intermittent	2 mg/L	Sediment (Fresh water)	2,22 mg/kg
	Oral	0,0078 g/kg	Sediment (Marine water)	0,222 mg/kg
Geraniol	STP	0,7 mg/L	Fresh water	0,011 mg/L
CAS: 106-24-1	Soil	0,017 mg/kg	Marine water	0,001 mg/L
EC: 203-377-1	Intermittent	0,108 mg/L	Sediment (Fresh water)	0,115 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,011 mg/kg
Benzyl acetate	STP	8,55 mg/L	Fresh water	0,018 mg/L
CAS: 140-11-4	Soil	0,094 mg/kg	Marine water	0,002 mg/L
EC: 205-399-7	Intermittent	0,04 mg/L	Sediment (Fresh water)	0,526 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,053 mg/kg
Hydroxy-citronellal	STP	10 mg/L	Fresh water	0,0316 mg/L
CAS: 107-75-5	Soil	0,011 mg/kg	Marine water	0,00316 mg/L
EC: 203-518-7	Intermittent	0,316 mg/L	Sediment (Fresh water)	0,145 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,015 mg/kg
Citronellol	STP	580 mg/L	Fresh water	0,002 mg/L
CAS: 106-22-9	Soil	0,004 mg/kg	Marine water	0 mg/L
EC: 203-375-0	Intermittent	0,024 mg/L	Sediment (Fresh water)	0,026 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,003 mg/kg
Linalyl acetate	STP	1 mg/L	Fresh water	0,011 mg/L
CAS: 115-95-7	Soil	0,115 mg/kg	Marine water	0,001 mg/L
EC: 204-116-4	Intermittent	0,11 mg/L	Sediment (Fresh water)	0,609 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,061 mg/kg
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran	STP	1 mg/L	Fresh water	0,0068 mg/L
CAS: 1222-05-5	Soil	1,5 mg/kg	Marine water	0,00044 mg/L
EC: 214-946-9	Intermittent	Not relevant	Sediment (Fresh water)	2 mg/kg
	Oral	20,4 g/kg	Sediment (Marine water)	0,394 mg/kg

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Identification				
3,7-dimethyloctan-3-ol CAS: 78-69-3 EC: 201-133-9	STP	450 mg/L	Fresh water	0,009 mg/L
	Soil	0,011 mg/kg	Marine water	0,001 mg/L
	Intermittent	0,089 mg/L	Sediment (Fresh water)	0,082 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,008 mg/kg
3-p-cumenyl-2-methylpropionaldehyde CAS: 103-95-7 EC: 203-161-7	STP	1 mg/L	Fresh water	0,00109 mg/L
	Soil	0,025 mg/kg	Marine water	0,00011 mg/L
	Intermittent	0,01092 mg/L	Sediment (Fresh water)	0,126 mg/kg
	Oral	0,0333 g/kg	Sediment (Marine water)	0,013 mg/kg
benzyl alcohol CAS: 100-51-6 EC: 202-859-9	STP	39 mg/L	Fresh water	1 mg/L
	Soil	0,456 mg/kg	Marine water	0,1 mg/L
	Intermittent	2,3 mg/L	Sediment (Fresh water)	5,27 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,527 mg/kg
Undec-10-enal CAS: 112-45-8 EC: 203-973-1	STP	0,625 mg/L	Fresh water	0,0201 mg/L
	Soil	18,9 mg/kg	Marine water	0,00201 mg/L
	Intermittent	Not relevant	Sediment (Fresh water)	94,5 mg/kg
	Oral	Not relevant	Sediment (Marine water)	9,45 mg/kg
Dodecanal CAS: 112-54-9 EC: 203-983-6	STP	10 mg/L	Fresh water	0,004 mg/L
	Soil	0,278 mg/kg	Marine water	0 mg/L
	Intermittent	0,035 mg/L	Sediment (Fresh water)	1,41 mg/kg
	Oral	0,313 g/kg	Sediment (Marine water)	0,141 mg/kg
Methyl benzoate CAS: 93-58-3 EC: 202-259-7	STP	8,15 mg/L	Fresh water	0,023 mg/L
	Soil	0,085 mg/kg	Marine water	0,002 mg/L
	Intermittent	0,23 mg/L	Sediment (Fresh water)	0,492 mg/kg
	Oral	Not relevant	Sediment (Marine water)	0,049 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.

B.- Respiratory protection



If the working conditions and/or safety measures adopted do not allow keeping the airborne concentration of the product below the exposure limits (if any) or at acceptable levels (if no exposure limits exist), suitable respiratory protection equipment chosen by a qualified professional should be used.

C.- Specific protection for the hands

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory hand protection	Chemical protective gloves (Material: Nitrile, Breakthrough time: > 480 min, Thickness: 0.11 mm)		EN ISO 21420:2020	Replace the gloves at any sign of deterioration.

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
 Mandatory face protection	Panoramic glasses against splash/projections.		EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection



- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation



ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing			Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2022	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2022 y EN 13832-1:2019

F.- Additional emergency measures

It is advised to implement additional emergency equipments in workplaces that are particularly exposed to the product or in situations where risk assessments highlight the necessity of such equipments.

Emergency measure	Standards	Emergency measure	Standards
 Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	 Eyewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

To comply with environmental protection regulations, it is recommended to prevent any spillage of the product and its container. For more detailed information, please refer to subsection 7.1.D.

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	7,18 % weight
V.O.C. density at 20 °C:	75,15 kg/m ³ (75,15 g/L)
Average carbon number:	9,65
Average molecular weight:	153,79 g/mol

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

For complete information see the product datasheet.

Appearance:

Physical state at 20 °C:	Liquid
Appearance:	Characteristic
Colour:	Yellowish
Odour:	Characteristic
Odour threshold:	Not relevant *

Volatility:

Boiling point at atmospheric pressure:	269 °C
Vapour pressure at 20 °C:	4 Pa
Vapour pressure at 50 °C:	37,06 Pa (0,04 kPa)
Evaporation rate at 20 °C:	Not relevant *

Product description:

Density at 20 °C:	1046,7 kg/m ³
Relative density at 20 °C:	1,041 - 1,061
Dynamic viscosity at 20 °C:	11,06 mPa·s
Kinematic viscosity at 20 °C:	10,56 mm ² /s

*Not relevant due to the nature of the product, not providing information property of its hazards.

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES (continued)

Kinematic viscosity at 40 °C:	Not relevant *
Concentration:	Not relevant *
pH:	7
Vapour density at 20 °C:	Not relevant *
Partition coefficient n-octanol/water 20 °C:	Not relevant *
Solubility in water at 20 °C:	Not relevant *
Solubility properties:	Not relevant *
Decomposition temperature:	Not relevant *
Melting point/freezing point:	Not relevant *

Flammability:

Flash Point:	135 °C
Flammability (solid, gas):	Not relevant *
Autoignition temperature:	235 °C
Lower flammability limit:	Not relevant *
Upper flammability limit:	Not relevant *

Particle characteristics:

Median equivalent diameter:	Not relevant *
-----------------------------	----------------

9.2 Other information:

Information with regard to physical hazard classes:

Explosive properties:	Not relevant *
Oxidising properties:	Not relevant *
Corrosive to metals:	Not relevant *
Heat of combustion:	Not relevant *
Aerosols-total percentage (by mass) of flammable components:	Not relevant *

Other safety characteristics:

Surface tension at 20 °C:	Not relevant *
Refraction index:	1,492 - 1,512

*Not relevant due to the nature of the product, not providing information property of its hazards.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7 from Safety Data Sheet.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Not applicable	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 10: STABILITY AND REACTIVITY (continued)

Contains substances which require external energy for spontaneous decomposition. Form explosive peroxides when distilled, evaporated or otherwise concentrated.

SECTION 11: TOXICOLOGICAL INFORMATION **

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

The experimental information related to the toxicological properties of the product itself is not available

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

A- Ingestion (acute effect):

- Acute toxicity: Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

B- Inhalation (acute effect):

- Acute toxicity : Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for inhalation. For more information see section 3.
- Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.
- Contact with the eyes: Produces serious eye damage after contact.

D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):

- Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
IARC: Benzyl acetate (3); Coumarin (3); Eugenol (3)
- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Reproductive toxicity: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

E- Sensitizing effects:

- Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
- Skin: Prolonged contact with the skin can result in episodes of allergic contact dermatitis.

F- Specific target organ toxicity (STOT) - single exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

H- Aspiration hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

Not relevant

Specific toxicology information on the substances:

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

Identification	Acute toxicity	Genus	
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	LD50 oral	2490 mg/kg	Rat
	LD50 dermal		
	LC50 inhalation		
	LC50 inhalation vapour		
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	LD50 oral	14500 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation		
	LC50 inhalation vapour		
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	LD50 oral	1610 mg/kg	Rat
	LD50 dermal	2100 mg/kg	Rabbit
	LC50 inhalation		
	LC50 inhalation vapour		
Citronellol CAS: 106-22-9 EC: 203-375-0	LD50 oral	3450 mg/kg	Rat
	LD50 dermal	2650 mg/kg	
	LC50 inhalation		
	LC50 inhalation vapour		
Coumarin CAS: 91-64-5 EC: 202-086-7	LD50 oral	500 mg/kg	Rat
	LD50 dermal	>5000 mg/kg	
	LC50 inhalation		
	LC50 inhalation dust		
Geraniol CAS: 106-24-1 EC: 203-377-1	LD50 oral	4200 mg/kg	Rat
	LD50 dermal	5100 mg/kg	Rabbit
	LC50 inhalation		
	LC50 inhalation vapour		
Isoeugenol CAS: 97-54-1 EC: 202-590-7	LD50 oral	1500 mg/kg	Rat
	LD50 dermal	1100 mg/kg	Rat
	LC50 inhalation		
	LC50 inhalation vapour		
Linalool CAS: 78-70-6 EC: 201-134-4	LD50 oral	3000 mg/kg	Rat
	LD50 dermal	5610 mg/kg	Rabbit
	LC50 inhalation		
	LC50 inhalation vapour		
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	LD50 oral	>5000 mg/kg	Rat
	LD50 dermal	>5000 mg/kg	Rabbit
	LC50 inhalation		
	LC50 inhalation vapour		
Nopyl acetate CAS: 128-51-8 EC: 204-891-9	LD50 oral	2940 mg/kg	Rat
	LD50 dermal		
	LC50 inhalation		
	LC50 inhalation vapour		
3-p-cumenyl-2-methylpropionaldehyde CAS: 103-95-7 EC: 203-161-7	LD50 oral	3810 mg/kg	Rat
	LD50 dermal		
	LC50 inhalation		
	LC50 inhalation vapour		
benzyl alcohol CAS: 100-51-6 EC: 202-859-9	LD50 oral	1200 mg/kg	
	LD50 dermal		
	LC50 inhalation		
	LC50 inhalation vapour		
Dodecanal CAS: 112-54-9 EC: 203-983-6	LD50 oral	23100 mg/kg	Rat
	LD50 dermal		
	LC50 inhalation		
	LC50 inhalation vapour		

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 11: TOXICOLOGICAL INFORMATION ** (continued)

11.2 Information on other hazards:

Endocrine disrupting properties

Endocrine-disrupting properties: The product does not meet the criteria.

Other information

Not relevant

** Changes with regards to the previous version

SECTION 12: ECOLOGICAL INFORMATION **

The experimental information related to the eco-toxicological properties of the product itself is not available

Harmful to aquatic life with long lasting effects.

12.1 Toxicity:

Acute toxicity:

Identification	Concentration	Species	Genus	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	LC50	1,428 mg/L (96 h)	Oncorhynchus mykiss	Fish
	EC50	4,7 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	20 mg/L (72 h)	Desmodesmus subspicatus	Algae
Coumarin CAS: 91-64-5 EC: 202-086-7	LC50	Not relevant		
	EC50	30 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	Not relevant		
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	LC50	Not relevant		
	EC50	330 mg/L (24 h)	Daphnia magna	Crustacean
	EC50	490 mg/L (72 h)	Scenedesmus subspicatus	Algae
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	LC50	Not relevant		
	EC50	17 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	110 mg/L (72 h)	Desmodesmus subspicatus	Algae
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	LC50	11 mg/L (96 h)	Cyprinus carpio	Fish
	EC50	15 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	62 mg/L (72 h)	Desmodesmus subspicatus	Algae
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	LC50	0,95 mg/L (96 h)	Oryzias latipes	Fish
	EC50	0,194 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	0,723 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
3,7-dimethyloctan-3-ol CAS: 78-69-3 EC: 201-133-9	LC50	8,9 mg/L (96 h)	Brachydanio rerio	Fish
	EC50	14,2 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	21,6 mg/L (72 h)	Scenedesmus subspicatus	Algae
Dihydroterpinyl acetate CAS: 58985-18-5 EC: 261-543-9	LC50	>1 - 10 mg/L (96 h)		Fish
	EC50	>1 - 10 mg/L (48 h)		Crustacean
	EC50	>1 - 10 mg/L (72 h)		Algae
Nopyl acetate CAS: 128-51-8 EC: 204-891-9	LC50	>1 - 10 mg/L (96 h)		Fish
	EC50	>1 - 10 mg/L (48 h)		Crustacean
	EC50	>1 - 10 mg/L (72 h)		Algae
3-p-cumenyl-2-methylpropionaldehyde CAS: 103-95-7 EC: 203-161-7	LC50	1,092 mg/L (96 h)	N/A	Fish
	EC50	1,4 mg/L (48 h)	Daphnia magna	Crustacean
	EC50	3,8 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae
Gum benzoin, siam CAS: 9000-72-0 EC: 281-683-4	LC50	>10 - 100 mg/L (96 h)		Fish
	EC50	>10 - 100 mg/L (48 h)		Crustacean
	EC50	>10 - 100 mg/L (72 h)		Algae
benzyl alcohol CAS: 100-51-6 EC: 202-859-9	LC50	646 mg/L (48 h)	Leuciscus idus	Fish
	EC50	400 mg/L (24 h)	Daphnia magna	Crustacean
	EC50	79 mg/L (3 h)	Scenedesmus subspicatus	Algae

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification		Concentration	Species	Genus
Undec-10-enal	LC50	>10 - 100 mg/L (96 h)		Fish
CAS: 112-45-8	EC50	>10 - 100 mg/L (48 h)		Crustacean
EC: 203-973-1	EC50	>10 - 100 mg/L (72 h)		Algae

Chronic toxicity:

Identification		Concentration	Species	Genus
Benzyl acetate	NOEC	0,92 mg/L	Oryzias latipes	Fish
CAS: 140-11-4 EC: 205-399-7	NOEC	Not relevant		
3-p-cumenyl-2-methylpropionaldehyde	NOEC	Not relevant		
CAS: 103-95-7 EC: 203-161-7	NOEC	0,71 mg/L	Daphnia magna	Crustacean
benzyl alcohol	NOEC	48,897 mg/L	N/A	Fish
CAS: 100-51-6 EC: 202-859-9	NOEC	51 mg/L	Daphnia magna	Crustacean

12.2 Persistence and degradability:

Substance-specific information:

Identification		Degradability		Biodegradability	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one	BOD5	Not relevant	Concentration	4 mg/L	
	CAS: 127-51-5	COD	Not relevant	Period	28 days
	EC: 204-846-3	BOD5/COD	Not relevant	% Biodegradable	42,51 %
Coumarin	BOD5	Not relevant	Concentration	100 mg/L	
	CAS: 91-64-5	COD	Not relevant	Period	14 days
	EC: 202-086-7	BOD5/COD	Not relevant	% Biodegradable	100 %
2-phenylethanol	BOD5	Not relevant	Concentration	100 mg/L	
	CAS: 60-12-8	COD	Not relevant	Period	14 days
	EC: 200-456-2	BOD5/COD	Not relevant	% Biodegradable	87 %
Linalool	BOD5	Not relevant	Concentration	100 mg/L	
	CAS: 78-70-6	COD	Not relevant	Period	28 days
	EC: 201-134-4	BOD5/COD	Not relevant	% Biodegradable	90 %
Geraniol	BOD5	Not relevant	Concentration	100 mg/L	
	CAS: 106-24-1	COD	Not relevant	Period	21 days
	EC: 203-377-1	BOD5/COD	Not relevant	% Biodegradable	70 %
Benzyl acetate	BOD5	Not relevant	Concentration	10 mg/L	
	CAS: 140-11-4	COD	Not relevant	Period	28 days
	EC: 205-399-7	BOD5/COD	Not relevant	% Biodegradable	100 %
Linalyl acetate	BOD5	Not relevant	Concentration	81 mg/L	
	CAS: 115-95-7	COD	Not relevant	Period	28 days
	EC: 204-116-4	BOD5/COD	Not relevant	% Biodegradable	80 %
3,7-dimethyloctan-3-ol	BOD5	Not relevant	Concentration	Not relevant	
	CAS: 78-69-3	COD	Not relevant	Period	28 days
	EC: 201-133-9	BOD5/COD	Not relevant	% Biodegradable	61 %
3-p-cumenyl-2-methylpropionaldehyde	BOD5	Not relevant	Concentration	Not relevant	
	CAS: 103-95-7	COD	Not relevant	Period	28 days
	EC: 203-161-7	BOD5/COD	Not relevant	% Biodegradable	65,5 %
benzyl alcohol	BOD5	Not relevant	Concentration	100 mg/L	
	CAS: 100-51-6	COD	Not relevant	Period	14 days
	EC: 202-859-9	BOD5/COD	Not relevant	% Biodegradable	94 %

12.3 Bioaccumulative potential:

Substance-specific information:

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification	Bioaccumulation potential	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	BCF Pow Log Potential	 3.49
Coumarin CAS: 91-64-5 EC: 202-086-7	BCF Pow Log Potential	10 1.39 Low
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	BCF Pow Log Potential	6 1.36 Low
Linalool CAS: 78-70-6 EC: 201-134-4	BCF Pow Log Potential	 2.97
Geraniol CAS: 106-24-1 EC: 203-377-1	BCF Pow Log Potential	110 3.56 High
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	BCF Pow Log Potential	8 1.96 Low
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	BCF Pow Log Potential	174 3.9 High
1,3,4,6,7,8-hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran CAS: 1222-05-5 EC: 214-946-9	BCF Pow Log Potential	1584 5.9 Very High
3,7-dimethyloctan-3-ol CAS: 78-69-3 EC: 201-133-9	BCF Pow Log Potential	99 3.3 Moderate
3-p-cumenyl-2-methylpropionaldehyde CAS: 103-95-7 EC: 203-161-7	BCF Pow Log Potential	102 3.05 High
benzyl alcohol CAS: 100-51-6 EC: 202-859-9	BCF Pow Log Potential	0.3 1.1 Low

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
3-Methyl-4-(2,6,6-trimethyl-2-cyclohexen-1-yl)-3-buten-2-one CAS: 127-51-5 EC: 204-846-3	Koc	3061.96	Henry	Not relevant
	Conclusion	Low	Dry soil	Not relevant
	Surface tension	Not relevant	Moist soil	Not relevant
Coumarin CAS: 91-64-5 EC: 202-086-7	Koc	42	Henry	Not relevant
	Conclusion	Very High	Dry soil	Not relevant
	Surface tension	Not relevant	Moist soil	Not relevant
2-phenylethanol CAS: 60-12-8 EC: 200-456-2	Koc	Not relevant	Henry	Not relevant
	Conclusion	Not relevant	Dry soil	Not relevant
	Surface tension	3,807E-2 N/m (25 °C)	Moist soil	Not relevant
Benzyl acetate CAS: 140-11-4 EC: 205-399-7	Koc	Not relevant	Henry	Not relevant
	Conclusion	Not relevant	Dry soil	Not relevant
	Surface tension	3,558E-2 N/m (25 °C)	Moist soil	Not relevant
Linalyl acetate CAS: 115-95-7 EC: 204-116-4	Koc	518	Henry	177 Pa·m ³ /mol
	Conclusion	Low	Dry soil	Yes
	Surface tension	Not relevant	Moist soil	Yes

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification	Absorption/desorption		Volatility	
3,7-dimethyloctan-3-ol CAS: 78-69-3 EC: 201-133-9	Koc	56	Henry	5,54 Pa·m ³ /mol
	Conclusion	Very High	Dry soil	Yes
	Surface tension	2,678E-2 N/m (25 °C)	Moist soil	Yes
benzyl alcohol CAS: 100-51-6 EC: 202-859-9	Koc	Not relevant	Henry	Not relevant
	Conclusion	Not relevant	Dry soil	Not relevant
	Surface tension	3,679E-2 N/m (25 °C)	Moist soil	Not relevant
Dodecanal CAS: 112-54-9 EC: 203-983-6	Koc	Not relevant	Henry	Not relevant
	Conclusion	Not relevant	Dry soil	Not relevant
	Surface tension	2,867E-2 N/m (25 °C)	Moist soil	Not relevant
Methyl benzoate CAS: 93-58-3 EC: 202-259-7	Koc	Not relevant	Henry	Not relevant
	Conclusion	Not relevant	Dry soil	Not relevant
	Surface tension	3,727E-2 N/m (25 °C)	Moist soil	Not relevant

12.5 Results of PBT and vPvB assessment:

Product does not meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product does not meet the criteria.

12.7 Other adverse effects:

Not described

** Changes with regards to the previous version

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Hazardous

Type of waste (Regulation (EU) No 1357/2014):

HP14 Ecotoxic, HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-hazardous residue. //aste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION **

This product is not regulated for transport (ADR/RID,IMDG,IATA)

** Changes with regards to the previous version

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 15: REGULATORY INFORMATION (continued)

- Article 95, REGULATION (EU) No 528/2012: *benzyl alcohol (100-51-6) - PT: (6) ; Geraniol (106-24-1) - PT: (18,19)*
- Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Not relevant
- Regulation (EU) 2019/1021 on persistent organic pollutants: Not relevant
- Regulation (EU) No 2024/590, about substances that deplete the ozone layer: Not relevant
- REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Not relevant
- Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Not relevant

Seveso III:

Not relevant

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION **

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMMISSION REGULATION (EU) 2020/878

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 11, SECTION 12):

- New declared substances
 - benzyl alcohol (100-51-6)
 - Methyl benzoate (93-58-3)

- Removed substances
 - musk ketone (81-14-1)

Substances that contribute to the classification (SECTION 2):

- Removed substances
 - musk ketone (81-14-1)

CLP Regulation (EC) No 1272/2008 (SECTION 2, SECTION 16):

- Pictograms
- Hazard statements
- Precautionary statements
- Substances contained in EUH208:
 - New declared substances
 - benzyl alcohol (100-51-6)

TRANSPORT INFORMATION (SECTION 14):

- UN number
- Packing group

Texts of the legislative phrases mentioned in section 2:

H317: May cause an allergic skin reaction.

H412: Harmful to aquatic life with long lasting effects.

H318: Causes serious eye damage.

Texts of the legislative phrases mentioned in section 3:

** Changes with regards to the previous version

- CONTINUED ON NEXT PAGE -

Safety data sheet

This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

ESENCIA 11673 ART.COMERCIAL MUSK CND - MUSCHIO

SECTION 16: OTHER INFORMATION ** (continued)

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3

CLP Regulation (EC) No 1272/2008:

Acute Tox. 4: H302 - Harmful if swallowed.
Aquatic Acute 1: H400 - Very toxic to aquatic life.
Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.
Aquatic Chronic 2: H411 - Toxic to aquatic life with long lasting effects.
Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.
Eye Dam. 1: H318 - Causes serious eye damage.
Eye Irrit. 2: H319 - Causes serious eye irritation.
Repr. 2: H361d - Suspected of damaging the unborn child.
Skin Irrit. 2: H315 - Causes skin irritation.
Skin Sens. 1: H317 - May cause an allergic skin reaction.
Skin Sens. 1A: H317 - May cause an allergic skin reaction.
Skin Sens. 1B: H317 - May cause an allergic skin reaction.

Classification procedure:

Skin Sens. 1A: Calculation method
Aquatic Chronic 3: Calculation method
Eye Dam. 1: Calculation method

Advice related to training:

Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and interpretation of this safety data sheet, as well as the label on the product.

Principal bibliographical sources:

<http://echa.europa.eu>
<http://eur-lex.europa.eu>

Abbreviations and acronyms:

ADR: European agreement concerning the international carriage of dangerous goods by road
IMDG: International maritime dangerous goods code
IATA: International Air Transport Association
ICAO: International Civil Aviation Organisation
COD: Chemical Oxygen Demand
BOD5: 5day biochemical oxygen demand
BCF: Bioconcentration factor
LD50: Lethal Dose 50
LC50: Lethal Concentration 50
EC50: Effective concentration 50
LogPOW: Octanolwater partition coefficient
Koc: Partition coefficient of organic carbon
UFI: unique formula identifier
IARC: International Agency for Research on Cancer

** Changes with regards to the previous version

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.

- END OF SAFETY DATA SHEET -